



MODEL EX356A73

TRIAxIAL CHARGE MODE ACCELEROMETER WITH UHT-12™ ELEMENT



PROVIDES MORE CONSISTENT SENSITIVITY OVER A WIDE TEMPERATURE RANGE



- Eliminates need for high temperature triaxial measurements to be taken with three separate single-axis accelerometers mounted on a triaxial mounting block
- ATEX/CSA/IECEx intrinsic safety certification allows sensor to be used worldwide in potentially-explosive environments
- Smaller, lighter design allows for simplified installation in even the tightest of spaces
- Use of UHT-12™ sensing element and hermetically-sealed, nickel alloy housing provides sensor endurance in very high temperatures

PCB Piezotronics utilizes a UHT-12™ element that features a proprietary crystal technology sealed in a hermetic package for long-term reliability. The element has no pyroelectric output that provides accurate low-frequency measurements and reduced thermal noise spikes that eliminate false alarms during monitoring. The element also has a more consistent sensitivity over a wide temperature change to provide greater accuracy. The shear mode crystals prevent base strain and transverse measurement errors.

TYPICAL APPLICATIONS

- Aviation/Power Generation Turbine Research & Development
- Commissioning of Nuclear Power Plants
- Vehicle Exhaust System NVH

SPECIFICATIONS	
Model Number	EX356A73
Performance	
Sensitivity ($\pm 5\%$)	3.2 pC/g 0.33 pC/(m/s ²)
Measurement Range	± 500 g pk $\pm 4,905$ m/s ² pk
Frequency Range ($\pm 5\%$)	Up to 4 kHz
Resonant Frequency	25 kHz
Transverse Sensitivity	$\leq 5\%$
Non-Linearity	$\leq 1\%$
Environmental	
Overload Limit (Shock)	$\pm 2,000$ g pk $\pm 19,620$ m/s ² pk
Operating Temperature Range	-67 to +900 °F -55 to +482 °C
Base Strain Sensitivity	0.003 g/ $\mu\epsilon$ 0.029 (m/s ²)/ $\mu\epsilon$
Radiation Exposure Limit (Integrated Neutron Flux)	1 E10 N/cm ²
Radiation Exposure Limit (Integrated Gamma Flux)	1 E8 rad
Electrical	
Capacitance (Pole-to-Pole)	120 pF
Insulation Resistance (Room Temp)	>1 GOhm
Insulation Resistance (900 °F / 482 °C)	>100 kOhm
Output Polarity	Negative
Electrical Isolation	Case Isolated (>1E6 Ohm)
Physical	
Sensing Geometry	Shear
Sensing Element	UHT-12™
Housing Material	Nickel Alloy
Sealing	Hermetic Welded
Mounting Thread	8-32 Male
Electrical Connector	Three 10-32 Coaxial Jacks
Electrical Connector Position	Side
Weight	5.3 oz 150 g



SENSOR CHAIN COMPONENTS

	Non-Radiation Environment	Radiation Environment
Sensor	 EX356A73	
Hardline Cable	023FZXXXGA	023FZXXXFZ
Softline Cable	003EBXXXEB	N/A
Charge Amplifier	422E35 (1 mV/pC) 422E36 (10 mV/pC)	422E65/A (1 mV/pC) 422E66/A (10 mV/pC)



3425 Walden Avenue, Depew, NY 14043-2495 USA

Toll-Free in the USA: 800 828 8840

Phone: 1 716 684 0001 | Email: info@pcb.com

PCB Piezotronics, Inc. is a designer and manufacturer of microphones, vibration, pressure, force, torque, load, and strain sensors, as well as the pioneer of ICP® technology used by design engineers and predictive maintenance professionals worldwide for test, measurement, monitoring, and control requirements in automotive, aerospace, industrial, R&D, military, educational, commercial, OEM applications, and more. With a worldwide customer support team, 24-hour SensorLineSM, and a global distribution network, PCB® is committed to Total Customer Satisfaction. Visit www.pcb.com for more information. PCB Piezotronics, Inc. is a wholly owned subsidiary of MTS Systems Corporation. Additional information on MTS can be found at www.mts.com.

© 2019 PCB Piezotronics, Inc. In the interest of constant product improvement, specifications are subject to change without notice. PCB®, ICP®, Swiveler®, Modally Tuned®, and IMI® with associated logo are registered trademarks of PCB Piezotronics, Inc. in the United States. ICP® is a registered trademark of PCB Piezotronics Europe GmbH in Germany and other countries. UHT-12™ is a trademark of PCB Piezotronics, Inc. SensorLineSM is a service mark of PCB Piezotronics, Inc. SWIFT® is a registered trademark of MTS Systems Corporation in the United States.

TM-VIB-EX356A73-0419



MTS Sensors, a division of MTS Systems Corporation (NASDAQ: MTSC), vastly expanded its range of products and solutions after MTS acquired PCB Piezotronics, Inc. in July, 2016. PCB Piezotronics, Inc. is a wholly owned subsidiary of MTS Systems Corp.; IMI Sensors and Larson Davis are divisions of PCB Piezotronics, Inc.; Accumetrics, Inc. and The Modal Shop, Inc. are subsidiaries of PCB Piezotronics, Inc.