


69233


PCB Load & Torque (A Division of PCB Piezotronics, Inc.)
claims proprietary rights in the information disclosed hereon.
Neither it nor any reproduction thereof will be disclosed to
others without the written consent of PCB Load and Torque.

| REVISIONS | | |
|-----------|---|-------|
| REV | DESCRIPTION | ECO |
| NR | RELEASED FOR PRODUCTION - 04.03.18, PTE | 48088 |



DB9P CONNECTOR
WIRING CODE:
PIN 1 +EXC.
PIN 2 +SENSE
PIN 3 +SIG.
PIN 4 -SIG.
PIN 5 -SENSE
PIN 6 -EXC.
PIN 7 N/C
PIN 8 N/C
PIN 9 N/C

PUSH/TURN CONNECTOR
(ITT CANNON KPT06B-10-6S OR EQUIV.)
WIRING CODE:
PIN A +EXC.
PIN B +SIG.
PIN C -SIG.
PIN D -EXC.
PIN E N/C
PIN F N/C

| UNLESS OTHERWISE SPECIFIED TOLERANCES ARE: | | DRAWN | | CHECKED | | ENGINEER | |  24350 Indoplex Circle, Farmington Hills, MI 48335 (248) 888-8260 E-MAIL: linfo@pcb.com |
|--|---|---|----------|---------|----------|----------|----------|--|
| DIMENSIONS IN INCHES | DIMENSIONS IN MILLIMETERS [IN BRACKETS] | PTE | 04.03.18 | JSD | 04.03.18 | PTE | 04.03.18 | |
| DECIMALS XX ±.01 XXX ±.005 | DECIMALS X ± 0.3 XX ± 0.13 | TITLE OUTLINE DRAWING CABLE - PT. CONNECTOR TO SERIES 8159 METER (8311-18-XXA SERIES) | | | | | | 69233 |
| ANGLES ± .5 DEGREES | ANGLES ± .5 DEGREES | | | | | | | SCALE: NONE |
| FILLETS AND RADII .015 MAX | FILLETS AND RADII 0.38 MAX | | | | | | | |