

23396

PCB Piezotronics Inc. claims proprietary rights in the information disclosed hereon. Neither it nor any reproduction thereof will be disclosed to others without written consent of PCB Piezotronics Inc.

APPLICATION		
NEXT ASS'Y	USED ON	VAR

REVISIONS				
REV	DESCRIPTION	ECN	DATE	APP'D
NR	RELEASED TO DRAFTING		6/3/03	DM7/03
A	ADDED THERMAL JACKET	23335	12/19/05	EB 12/05

INTEGRAL ARMOR CABLE (MOLDED 2 CONDUCTOR SHIELDED CABLE) TERMINATING IN BLUNT CUT, 10 FEET [3 METERS] FROM APPLICATION.

BLUE: GROUND

RED: SIGNAL/POWER

4.6[117]
(TO TYPICAL BENDING RADIUS)

Ø1.19 [Ø30.2]

PROTECTIVE/THERMAL JACKET MODEL 085A31 (SUPPLIED)

1 3/16 [30] HEX

.050 [1.27]

Ø1.00 [Ø25.4]

1/4-28 UNF-2B X .20 [5.1] ▽

UNLESS SPECIFIED TOLERANCES

DIMENSIONS IN INCHES	DIMENSIONS IN MILLIMETERS [IN BRACKETS]
DECIMALS XX ±.01	DECIMALS X ±0.3
XXX ±.005	XX ±0.13
ANGLES ±2 DEGREES	ANGLES ±2 DEGREES
FILLETS AND RADII .003 - .005	FILLETS AND RADII [0.07 - 0.13]

DRAWN	RCE 12/21/05	MFG	P. A. 12/21/05
CHK'D	ECB 12/21/05	ENGR	RAB 12/21/05
APP'D	N.A. 12/21/05	SALES	DB 12/22/05
TITLE			
OUTLINE DRAWING			
MODEL 626B61, M, B62, M, B63, M			
ACCELEROMETER			

PCB PIEZOTRONICS
 3425 WALDEN AVE. DEPEW, NY 14043
 (716) 684-0001 EMAIL: SALES@PCB.COM

CODE IDENT. NO. 52681	DWG. NO. 23396
SCALE: 1.33 : 1 SHEET 1 OF 1	